

Claim Amendment

- Claim 1 (original) A composition for preventing cold comprising vitamin C and ginkgetin.
- Claim 2 (original) The composition according to claim 1, comprising 20 to 90 % by weight of vitamin C; and 1 to 20 % by weight of ginkgetin.
- Claim 3 (original) The composition according to claim 1, further comprising maltol.
- Claim 4 (currently amended) The composition according to ~~any one of claims 1 to 3~~ claim 1, further comprising more than one kind of vitamins selected from vitamin A, vitamin B, vitamin B1, vitamin D, and vitamin E.
- Claim 5 (original) The composition according to claim 4, comprising 20 to 90 % by weight of vitamin C; 1 to 10 % by weight of ginkgetin; 0.01 to 5 % by weight of maltol; and 0.01 to 7 % by weight of each of vitamin A, B 1, E, D, and B.
- Claim 6 (canceled)
- Claim 7 (original) Use of a composition comprising vitamin C and ginkgetin to prepare a medicine for cold prevention.
- Claim 8 (original) Use of the composition according to claim 7, comprising 20 to 90 % by weight of vitamin C; and 1 to 20 % by weight of ginkgetin.
- Claim 9 (original) Use of the composition according to claim 7, further comprising maltol.

Claim 10 (currently amended) Use of the composition according to ~~any one of claims 7 to 9~~ claim 7, further comprising more than one kind of vitamins selected from vitamin A, vitamin B, vitamin B1, vitamin D, and vitamin E.

Claim 11 (original) Use of the composition according to claim 10, comprising 20 to 90 % by weight of vitamin C; 1 to 10 % by weight of ginkgetin ; 0.01 to 5 % by weight of maltol; and 0.01 to 7 % by weight of each of vitamin A, B1, E, D, and B.

Claim 12 (original) A method of preventing cold, comprising administering a prophylactically effective amount of vitamin C and ginkgetin to patients in need of prevention of cold.

Claim 13 (original) The method according to claim 12, comprising administering 20 to 90 % by weight of vitamin C; and 1 to 20 % by weight of ginkgetin.

Claim 14 (original) The method according to claim 12, comprising further administering maltol.

Claim 15 (currently amended) The method according to ~~any one of claims 12 to 14~~ claim 12, comprising further administering more than one kind of vitamins selected from vitamin A, vitamin B, vitamin B1, vitamin D, and vitamin E.

Claim 16 (Original) The method according to claim 15, comprising administering 20 to 90 % by weight of vitamin C ; 1 to 10 % by weight of ginkgetin ; 0.01 to 5 % by weight of maltol ; and 0.01 to 7 % by weight of each of vitamin A, B 1, E, D, and B.

Claim 17 (original) A method for preparing cold prophylactic by mixing vitamin C and ginkgetin.

Claim 18 (original) The method according to claim 17, comprising mixing 20 to 90 % by weight of vitamin C; and 1 to 20 % by weight of ginkgetin.

Claim 19 (original) The method according to claim 17, comprising further mixing maltol.

Claim 20 (currently amended) The method according to ~~any one of claims 17 to 19~~ claim 17, comprising further mixing more than one kind of vitamins selected from vitamin A, vitamin B, vitamin B 1, vitamin D, and vitamin E.

Claim 21 (original) The method according to claim 19, comprising mixing 20 to 90 % by weight of vitamin C; 1 to 10 % by weight of ginkgetin ; 0.01 to 5 % by weight of maltol ; and 0.01 to 7 % by weight of each of vitamin A, B 1, E, D, and B.